

# STATE OF UTAH -- DIVISION OF WATER RIGHTS -- DATA PRINT OUT for 57-2402(A25558a)

(WARNING: Water Rights makes NO claims as to the accuracy of this data.) RUN DATE: 12/20/2016 Page 1

**WATER RIGHT: 57-2402** APPLICATION/CLAIM NO.: A25558a CERT. NO.:

CHANGES: a24668 Amended by Subsequent Change, a27028 Approved

=====

NAME: Sandy City Corporation (Public Water Supplier)  
ADDR: c/o Shane Pace  
10000 Centennial Parkway  
Sandy UT 84070  
INTEREST: 100%

=====

LAND OWNED BY APPLICANT? COUNTY TAX ID#:  
FILED: 02/16/1954|PRIORITY: 02/16/1954|PUB BEGAN: |PUB ENDED: |NEWSPAPER:  
ProtestEnd: |PROTESTED: [No ]|HEARNG HLD: |SE ACTION: [Approved]|ActionDate:12/13/1954|PROOF DUE: 12/31/2019  
EXTENSION: |ELEC/PROOF:[ ]|ELEC/PROOF: |CERT/WUC: |LAP, ETC: |LAPS LETTER:  
RUSH LETTR: |RENOVATE: |RECON REQ: |TYPE: [ ]|50YR DATE: 12/13/2004

PD BOOK: [ 57- ]|MAP: [ ]|PUB DATE:

Type of Right: Application to Appropriate Source of Info: Application to Segregate Status: Approved

=====

FLOW: 8.39 cfs

SOURCE: Underground Water Well

COUNTY: Salt Lake COMMON DESCRIPTION: Sandy

## POINTS OF DIVERSION -- UNDERGROUND:

(1) N 888 ft W 526 ft from SE cor, Sec 19, T 2S, R 1E, SLBM DIAMETER OF WELL: 20 ins. DEPTH: 626 to ft. YEAR DRILLED: Comment: Prowswood Well	WELL LOG? No	WELL ID#:
(2) N 197 ft E 618 ft from SW cor, Sec 02, T 3S, R 1E, SLBM DIAMETER OF WELL: 6 ins. DEPTH: 1007 to ft. YEAR DRILLED: Comment: Metro Well	WELL LOG? No	WELL ID#:
(3) N 830 ft W 660 ft from E4 cor, Sec 03, T 3S, R 1E, SLBM DIAMETER OF WELL: 20 ins. DEPTH: 600 to 1000 ft. YEAR DRILLED: Comment: Willow Wick Well	WELL LOG? No	WELL ID#:
(4) N 1109 ft W 1167 ft from S4 cor, Sec 06, T 3S, R 1E, SLBM DIAMETER OF WELL: 16 ins. DEPTH: 590 to ft. YEAR DRILLED: Comment: Mt. Jordan Well	WELL LOG? No	WELL ID#:
(5) S 360 ft E 955 ft from W4 cor, Sec 06, T 3S, R 1E, SLBM DIAMETER OF WELL: 8 ins. DEPTH: 1230 to ft. YEAR DRILLED: Comment: Greenwood Well	WELL LOG? No	WELL ID#:
(6) S 400 ft E 980 ft from W4 cor, Sec 06, T 3S, R 1E, SLBM DIAMETER OF WELL: 8 ins. DEPTH: 2100 to ft. YEAR DRILLED: Comment: Greenwood Well	WELL LOG? No	WELL ID#:
(7) S 775 ft W 126 ft from E4 cor, Sec 06, T 3S, R 1E, SLBM DIAMETER OF WELL: 20 ins. DEPTH: 300 to 700 ft. YEAR DRILLED: Comment: Cemetery Well	WELL LOG? No	WELL ID#:
(8) N 250 ft W 2092 ft from E4 cor, Sec 07, T 3S, R 1E, SLBM DIAMETER OF WELL: 12 ins. DEPTH: 461 to ft. YEAR DRILLED: Comment: Haun Well	WELL LOG? No	WELL ID#:
(9) S 380 ft W 600 ft from E4 cor, Sec 16, T 3S, R 1E, SLBM DIAMETER OF WELL: 20 ins. DEPTH: 1000 to 1200 ft. YEAR DRILLED: Comment: Dimple Dell Substation	WELL LOG? No	WELL ID#: 22756
(10) N 100 ft W 400 ft from S4 cor, Sec 17, T 3S, R 1E, SLBM DIAMETER OF WELL: 10 ins. DEPTH: 500 to 700 ft. YEAR DRILLED: Comment: Hillshire Well	WELL LOG? No	WELL ID#:
(11) N 60 ft E 800 ft from W4 cor, Sec 18, T 3S, R 1E, SLBM DIAMETER OF WELL: 10 ins. DEPTH: 1150 to ft. YEAR DRILLED:	WELL LOG? No	WELL ID#:

Comment:	Crescent (hot) Well		
(12) S 2560 ft E 640 ft from N4 cor, Sec 19, T 3S, R 1E, SLBM			
DIAMETER OF WELL: 6 ins. DEPTH: 100 to 500 ft. YEAR DRILLED:	WELL LOG? No	WELL ID#:	
Comment:	Dewey Right		
(13) N 130 ft W 290 ft from E4 cor, Sec 21, T 3S, R 1E, SLBM			
DIAMETER OF WELL: 20 ins. DEPTH: 1000 to 1200 ft. YEAR DRILLED:	WELL LOG? No	WELL ID#:	22831
Comment:	Big Willow		
(14) S 100 ft E 1750 ft from W4 cor, Sec 21, T 3S, R 1E, SLBM			
DIAMETER OF WELL: 20 ins. DEPTH: 1000 to 1200 ft. YEAR DRILLED:	WELL LOG? No	WELL ID#:	
Comment:	Farley Lot		
(15) S 401 ft W 71 ft from NE cor, Sec 21, T 3S, R 1E, SLBM			
DIAMETER OF WELL: 20 ins. DEPTH: 1000 to 1200 ft. YEAR DRILLED:	WELL LOG? No	WELL ID#:	27297
Comment:	Paradise Valley Well		
(16) S 2200 ft E 1300 ft from NW cor, Sec 21, T 3S, R 1E, SLBM			
DIAMETER OF WELL: 16 ins. DEPTH: 841 to ft. YEAR DRILLED:	WELL LOG? No	WELL ID#:	
Comment:	Melville Well		
(17) N 612 ft E 1444 ft from S4 cor, Sec 22, T 3S, R 1E, SLBM			
DIAMETER OF WELL: 20 ins. DEPTH: 600 to 1000 ft. YEAR DRILLED:	WELL LOG? No	WELL ID#:	
Comment:	Southeast Tank Well		
(18) N 800 ft E 1160 ft from W4 cor, Sec 23, T 3S, R 1E, SLBM			
DIAMETER OF WELL: 20 ins. DEPTH: 1000 to 1200 ft. YEAR DRILLED:	WELL LOG? No	WELL ID#:	
Comment:	Pepperwood Phase 10		
(19) S 1904 ft E 302 ft from NW cor, Sec 23, T 3S, R 1E, SLBM			
DIAMETER OF WELL: 20 ins. DEPTH: 1000 to 1200 ft. YEAR DRILLED:	WELL LOG? No	WELL ID#:	27296
Comment:	Pepperwood Phase 10 Well		
(20) S 753 ft E 686 ft from NW cor, Sec 01, T 3S, R 1W, SLBM			
DIAMETER OF WELL: 3 ins. DEPTH: 235 to ft. YEAR DRILLED:	WELL LOG? No	WELL ID#:	
Comment:	Neff Right		

=====

USES OF WATER RIGHT\*\*\*\*\* ELU -- Equivalent Livestock Unit (cow, horse, etc.) \*\*\*\*\* EDU -- Equivalent Domestic Unit or 1 Family

(The Beneficial Use Amount is the quantity of Use that this Water Right contributes to the Group Total.)

=====

SUPPLEMENTAL GROUP NO. 411686. Water Rights Appurtenant to the following use(s):

57-118 (APP), 2249 (CERT), 2250 (CERT), 2317 (CERT), 2402 (APP), 2403 (APP), 2405 (APP), 2413 (CERT), 2414 (APP), 2474 (CERT), 2525 (CERT), 2742 (CERT)

2750 (CERT), 2990 (CERT), 3056 (APP), 3066 (CERT), 3067 (CERT), 3099 (CERT), 3735 (UGWC), 4761 (UGWC), 4807 (CERT), 5976 (UGWC), 6646 (CERT), 6753 (CERT)

6754 (CERT), 6755 (CERT), 7327 (UGWC), 7596 (CERT), 7643 (DEC), 7689 (DEC), 7925 (CERT), 7973 (APP), 8074 (REJ), 8090 (REJ), 8091 (CERT), 8092 (CERT)

8093 (CERT), 8094 (APP), 8095 (REJ), 8096 (REJ), 8097 (REJ), 8098 (REJ), 8099 (APP), 8100 (CERT), 8248 (CERT), 8400 (REJ), 8435 (CERT), 8464 (CERT)

8465 (APP), 8505 (CERT), 8506 (CERT), 8549 (APP), 8646 (CERT), 8647 (APP), 8692 (APP), 8756 (CERT), 8793 (APP), 8808 (APP), 8810 (REJ), 8818 (APP)

8903 (CERT), 8951 (CERT), 8955 (DEC), 8957 (APP), 9002 (CERT), 9005 (CERT), 9006 (CERT), 9010 (DEC), 10000 (APP), 10156 (APP), 10271 (CERT), 10332 (APP)

10333 (CERT), 10336 (CERT), 10337 (CERT), 10338 (CERT)

.....

MUNICIPAL: Sandy	PERIOD OF USE: 01/01 TO 12/31
Acre Feet Contributed by this Right for this Use: 0.0	

=====

OTHER COMMENTS\*\*\*\*\*

=====

It is proposed to drill wells in sufficient manner to produce the amount of water applied for. The wells would be of 24' diameter steel casing drilled to a depth of 500 feet or more, and would be equipped with a standard make deep well pump and electric motor to produce the capacity of the well as determined by test. The discharge from the wells would be of 24' diameter steel pipe equipped with a registering flow meter, and leading approximately 50 feet to a connection with the existing concrete and steel pipe line known as the Salt Lake Aqueduct, now owned and operated by the applicant. The water would then be conveyed in the existing pipe line and distributed for municipal use to various cities, towns, communities, mutual water companies, conservancy districts and individuals in the area listed under Paragraph 21 above. The water diverted from each well will be commingled in the existing pipe lines. Of the total of 50 sec.-ft. covered by this application it is expected that no more than a maximum of 20 sec.-ft. will be produced by any single well.

The applicant is in urgent need of the full amount of water sought to be developed and put to beneficial use under Application 25558; but question having been made that so much can be taken from the proposed source consistently with the rights of others, the applicant now requests that ten second feet be segregated from the said application, and that the same be approved as to the amount segregated or, if not approved, that a temporary permit to drill be issued pursuant to the provisions of Section 5, Chapter 73, U.C.A. 1953.

In either such event the applicant will proceed with all possible diligence to drive a well at site No. 2 of such diameter and to such depth, and will so equip and test it as to fully explore and determine the yield of the proposed

source of supply and the propriety and extent, if any, of further approval of and developments under the said application and others.

10 sec.-ft. of water will be diverted from Well No. 2, more particularly described as being located North 197 feet and East 618 feet from SW Cor. Sec. 2, T3S, R1E, S1B&M under this application. 24' casing 1007'.

As of January 16, 2014, the priority date and/or filing date have administratively changed to reflect that of the original right.

## =====

## SEGREGATION HISTORY\*\*\*\*\*

=====

This Right was Segregated from 57-2401, with Appl#: A25558, Approval Date: / / under which Proof is to be submitted.

This Right as originally filed:

FLOW IN	QUANTITY IN	*-----W A T E R U S E S-----					
CFS	ACRE-FEET	IRRIGATED	STOCK	DOMESTIC	MUNICIPAL	MINING	POWER
		ACREAGE	(ELUs)	(FAMILIES)	(*)	ACRE-FEET	
10.0	0						

\*=====

The following Water Rights have been Segregated from 57-2402:

( 1) WRNUM: 57-10156 [1.61] 0  
APPL#: A25558aa  
NAME: Sandy City  
FILED: 10/20/1997

\*=====

CFS	ACRE-FEET	IRRIGATED	STOCK	DOMESTIC	MUNICIPAL	MINING	POWER
		ACREAGE	(ELUs)	(FAMILIES)	(*)	ACRE-FEET	

57-2402 currently has: 8.39

## =====

## APPLICATIONS FOR EXTENSIONS OF TIME WITHIN WHICH TO SUBMIT PROOF\*\*\*\*\*

=====

FILED: 03/30/1999|PUB BEGAN: 04/15/1999|PUB ENDED: |NEWSPAPER: Deseret News  
ProtestEnd:05/12/1999|PROTESTED: [No ]|HEARNG HLD: |SE ACTION: [Approved]|ActionDate:09/02/1999|PROOF DUE: 04/30/2004

=====

FILED: 04/26/2004|PUB BEGAN: 06/10/2004|PUB ENDED: 06/17/2004|NEWSPAPER: Deseret News  
ProtestEnd:07/07/2004|PROTESTED: [No ]|HEARNG HLD: |SE ACTION: [Approved]|ActionDate:10/21/2004|PROOF DUE: 12/31/2009

=====

FILED: 11/24/2009|PUB BEGAN: 12/10/2009|PUB ENDED: 12/17/2009|NEWSPAPER: Deseret News  
ProtestEnd:01/06/2010|PROTESTED: [No ]|HEARNG HLD: |SE ACTION: [Approved]|ActionDate:07/13/2011|PROOF DUE: 12/31/2019

=====

\*\*\*\*\*E N D O F D A T A\*\*\*\*\*